

COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

| | | |
|-------------------------------------|---|-----------------|
| RONALD AND KIMBERLY WOODS |) | |
| |) | |
| COMPLAINANTS |) | |
| |) | |
| v. |) | CASE NO. 97-098 |
| |) | |
| LOUISVILLE GAS AND ELECTRIC COMPANY |) | |
| |) | |
| DEFENDANT |) | |

ORDER

IT IS ORDERED that Louisville Gas and Electric Company ("LG&E") shall file the original and 2 copies of the following information with the Commission with a copy to all parties of record no later than 14 days from the date of this Order. LG&E shall furnish with each response the name of the witness who will be available to respond to questions concerning each item of information requested should a public hearing be scheduled.

1. Provide a map showing all LG&E electric facilities within 2,000 feet from the Woodses' property at 10300 Broad Run Road.
2. Provide LG&E's cost for every alternative considered to serve the Woodses' property. Provide all supporting calculations and indicate the preferable alternative.
3. Were other alternatives considered but later rejected? If yes, provide each alternative, its cost, and explain why it was rejected.

4. Is it possible for LG&E to extend its existing distribution lines to serve the Woodses by using state or county existing right-of-way? If yes, what is the cost of such an alternative? Provide all supporting calculations.

Done at Frankfort, Kentucky, this 13th day of May, 1997.

PUBLIC SERVICE COMMISSION


For the Commission

ATTEST:


Executive Director